

TOP SECRET

PRIORITY 25X1

P 121942Z
FM NPIC

1968 JUN 12 20 23Z

AFSSO YOKOTA
AFSSO 327 AD, TAIWAN
AFSSO 7TH AF
YSHKLRC/CINCUSARPAC

OUT 65339

25X1

OPCEN
ZEM

TOP SECRET TTTT

SITE NPIC 3989

25X1

AFSSO 327 AD ALSO PASS COMUSTDC

MISSION 1103 2-15 MAY 1968 SOAK SUPPL 030668

PEI-CHING INSTITUTE OF ATOMIC ENERGY CH 394424N 1160155E

KO-HSON MICROWAVE FACILITY SEARCH CH 4247//N 08838//E
0330 44- NO MICROWAVE FACILITY IS OBSERVED WITHIN 2 NM OF THE
REFERENCED COORDINATES. LACK OF PLANIMETRIC DETAIL PRECLUDES
POSITIVE LOCATION OF COVERAGE.- NO MICROWAVE FACILITY IS OBSERVED WITHIN 2 NM OF THE
REFERENCED COORDINATES.MISSION 1103 2-15 MAY 1968 SOAK SUPPL 05 JUN 68
SHUANG-CHENG-TZU SUSP ADV WPNS REL FAC 4 CH 414301N 1002501ETHE SITE WHICH HAS NOW BEEN IDENTIFIED AS SUSPECT ADVANCED WEAPONS
RELATED FACILITY 4 (SEE COMIREX) WHICH WAS REPORTED IN THE
OAK FOR WAS FORMERLY DESIGNATED AS PROBABLE SSM
TRAINING SITE 1.OBSERVED IN A VERY EARLY STAGE OF CONSTRUCTION THE
EXCAVATIONS FOR THE EASTERN AND WESTERN CORRIDORS HAD DOUBLED IN
SIZE B THE SITE WAS NOT PRESENT ONTHE PREVIOUSLY REPORTED SSM SIGNATURE WAS PROBABLY PRELIMINARY
SURVEY WORK FOR THIS FACILITY. THE FACILITY IS LOCATED AT THE
REFERENCED COORDINATES

ATHER THAN AT THOSE REPORTED IN THE OAK.

SHUANG-CHENG-TZU MICROWAVE FAC SEARCH CH 3945//N 09910//E
42NO MICROWAVE FACILITY IS OBSERVED WITHIN 1 NM SOUTH OR WITHIN 5 NM
IN OTHER DIRECTIONS OF THE REFERENCED COORDINATES.GP-1
TOP SECRET

END OF MESSAGE

DISTRIBUTION		
CY	OFFICE	PI
1	FILE	25X1
2	CABLE SEC.	
	PP&B/RD	
	SECUR.	
	TSSG	25X1
3	PSG/OC	25X1
	RCD	
	REPRO	25X1
4	AID	
	LEG	25X1
5	PROD	
	FOIEN	
	WEST	
	EAST	
PT 07	M&S	
	PGM	
	IAS	25X1
	DIA-XX4	
	SPAD	25X1
	DIA-AF	25X1
	CMX	
		25X1

ADVANCE CY
SANITIZED
WITH TEXT

25X1

25X1

25X1

25X1

25X1

GROUP 1
Excluded from automatic
downgrading and
declassification

25X1

TOP SECRET

SECTION # 01

MISSION 1103 2-15 MAY 1968 SOAK SUPPL 030668 PT 06
PEI-CHING INSTITUTE OF ATOMIC ENERGY CH 394424N 1160155E

OUT65339

25X1

KO-HSON MICROWAVE FACILITY SEARCH CH 4247//N 08838//E
0330 44

25X1

-- NO MICROWAVE FACILITY IS OBSERVED WITHIN 2 NM OF THE
REFERENCED COORDINATES. LACK OF PLANIMETRIC DETAIL PRECLUDES
POSITIVE LOCATION OF COVERAGE.

25X1

-- NO MICROWAVE FACILITY IS OBSERVED WITHIN 2 NM OF THE
REFERENCED COORDINATES.

25X1

25X1

7

6

5

4

3

2